



US00D902328S

(12) **United States Design Patent** (10) **Patent No.:** **US D902,328 S**
Casto, Jr. et al. (45) **Date of Patent:** **** Nov. 17, 2020**

(54) **PARABOLIC BARREL**

(71) Applicants: **Arlos Franklin Casto, Jr.**, Marietta, OH (US); **William James Alatis**, Centreville, VA (US)

(72) Inventors: **Arlos Franklin Casto, Jr.**, Marietta, OH (US); **William James Alatis**, Centreville, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/734,317**

(22) Filed: **May 11, 2020**

Related U.S. Application Data

(63) Continuation-in-part of application No. 16/872,092, filed on May 11, 2020.

(51) **LOC (12) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/570**

(58) **Field of Classification Search**
USPC D21/570; D22/103, 104
CPC F41B 11/723; F41B 11/62; F41B 11/52; F41A 21/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,332,222	A	7/1994	Perry	
5,924,932	A	7/1999	Taylor	
6,183,372	B1	2/2001	Anderegg, Jr.	
7,063,623	B2	6/2006	Wengert	
D605,238	S *	12/2009	Gan D21/573

8,900,065	B2	12/2014	Taylor	
2002/0002785	A1*	1/2002	Tippmann, Jr.	F41A 21/16 42/76.01
2002/0040543	A1*	4/2002	Tippmann, Jr.	F41B 11/00 42/76.01
2019/0120578	A1*	4/2019	Berger F41A 1/04

* cited by examiner

Primary Examiner — Michael A. Pratt

(57) **CLAIM**


The ornamental design for a parabolic barrel, as shown and described.

DESCRIPTION

FIG. 1 is a top-front-left perspective view of a parabolic barrel showing my new design;
 FIG. 2 is a bottom-rear-right perspective view thereof;
 FIG. 3 is an enlarged front elevational view thereof;
 FIG. 4 is an enlarged rear elevational view thereof;
 FIG. 5 is a left-side elevational view thereof;
 FIG. 6 is a right-side elevational view thereof;
 FIG. 7 is a top plan view thereof;
 FIG. 8 is a bottom plan view thereof; and,
 FIG. 9 is a top-front-left perspective view thereof, wherein the parabolic pneumatic barrel is shown fitted to an exemplary launcher device and prepared for use.

The broken line showing the barrel mounting flange in FIGS. 1, 2, 4, 5, 6, 7, and 8; the assembly rivets in FIG. 1 through 9; the retention bolt in FIGS. 2, 4, 5, 6, and 8; the breech check aperture in FIGS. 1, 3, 5, 6, 7, and 9; the muzzle aperture in FIGS. 1, 3, 8, and 9; and the exemplary launcher device in FIG. 9 is included for the purpose of showing environmental structure and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9